

### ORDER EXAMPLE To correctly order this model follow the example specified below:


#### PRODUCT

AGST#180004 Article code composed of Model, Height (180) and Number of elements (004)  
 R05 Connector code found in the table here below  
 ST Standard Support code found in the table here below  
 9010 Colour code found in the TUBES COLOUR CHART  
 R12 Connection code that defines the type of union for copper pipes or multi-layer pipes found herein at page 276

#### AGST#180004 R05 ST 9010 R12

#### ACCESSORIES

Cod. GVR One way Remote Valve Assembly, CHROME finish  
 Cod. GVRC#\* One way Remote Valve Assembly, COLOUR finish\*  
 \* Specify the color code, e.g.: 9010, after checking the Tubes Colour Chart



**AGORÀ ST**  
(AGST#...)

**AGORÀ DS**  
(AGDS#...)



**AGORÀ DD**  
(AGDD#...)

### REAR CONNECTORS

They enable connection to the system via Remote Valve Assembly (GVR) which are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITHOUT an additional price charge


### EXTERNAL CONNECTORS – standard type

They enable connection to the system via Standard Valve and Lockshield which are supplied as an accessory. This type of connectors must be specified when placing the order, they are supplied WITH an additional price charge of




Connection of radiator to the Remote Valve Assembly (GVR)

### CUSTOM MADE connectors on request: €




connector B2M external CUSTOM MADE  
Specify "i" and "d"  
i min.=5 cm d min.=4 cm

### CUSTOM MADE connectors on request: €




connector S2M external CUSTOM MADE on the left  
connector D2M external CUSTOM MADE on the right

### Connectors on request: €



connector C05 external with i=5,0 cm Centred


### Connectors on request: €



connector OS2 external left side l = H - 10 cm  
connector OD2 external right side l = H - 10 cm

# AGORÀ ST - (Without Decoration)

Low water content radiator composed of 13.7 cm wide aluminium elements



## AGORÀ ST (Without Decoration)

Height		40			50			60			80			90			100			140		
N° elements	Width (cm)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)
3	41,7	302	156		374	193		446	229		585	297		653	330		719	362		972	484	
4	55,7	402	208		499	257		594	305		780	396		870	440		959	483		1296	646	
5	69,7	503	260		624	321		743	381		975	495		1088	550		1199	603		1621	808	
6	83,7	604	313		748	385		891	457		1170	594		1306	660		1439	724		1945	969	
7	97,7	704	364		873	450		1040	533		1365	693										
8	111,7	805	417		998	514		1188	609		1560	792										
9	125,7	905	468		1122	578		1337	685		1755	891										
10	139,7	1006	521		1247	642		1485	761		1950	990										
11	153,7	1106	572		1372	707		1634	838		2145	1089										
12	167,7	1207	625		1497	771		1782	914		2340	1188										
13	181,7	1308	677		1621	835		1931	990		2535	1288										
* 14	195,7	1408	729		1746	899																
* 15	209,7	1509	781		1871	964																
* 16	223,7	1609	833		1995	1028																

\* For 14, 15 and 16 elements interaxes (pipe centre) is L-14 cm.

## AGORÀ ST (Without Decoration)

Height		160			180			190			200			210			220					
N° elements	Width (cm)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)			
3	41,7	1091	541		1204	598		1258	625		1311	652		1363	679		1413	704				
4	55,7	1454	721		1605	797		1678	834		1748	869		1817	905		1885	939				
5	69,7	1818	901		2006	996		2097	1042		2185	1087		2272	1131		2356	1174				
6	83,7	2181	1081		2407	1195		2516	1250		2622	1304										


### ADDITIONAL COLOUR CHARGE (see the official Tubes Colour Chart)

Additional colour charges are calculated over the Pure white price (Cat. C0), for the other categories the additional charges herein below are applicable: Category C1 and C2 +10% - C3 Category +20% - RAL not included in the colour chart +30% - According to samples : Request feasibility and cost estimate. Colours not available: GRCC.


### REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Connection of Remote Valve Assembly (GVR) to water system



Code	Description	Finishes	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	CHROME	
GVRC#	RECESSED valve and lockshield assembly for remote connection	COLOUR	



**AGORÀ DS (One Decoration on the top)**

Height		80			90			100			140			160			180			190		
N° elements	Width (cm)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)
3	41,7	585	297		653	330		719	362		972	484		1091	541		1204	598		1258	625	
4	55,7	780	396		870	440		959	483		1296	646		1454	721		1605	797		1678	834	
5	69,7	975	495		1088	550		1199	603		1621	808		1818	901		2006	996		2097	1042	
6	83,7	1170	594		1306	660		1439	724		1945	969		2181	1081		2407	1195		2516	1250	
7	97,7	1365	693																			
8	111,7	1560	792																			
9	125,7	1755	891																			
10	139,7	1950	990																			
11	153,7	2145	1089																			
12	167,7	2340	1188																			
13	181,7	2535	1288																			

**AGORÀ DS (One Decoration on the top)**

Height		200			210			220		
N° elements	Width (cm)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)
3	41,7	1311	652		1363	679		1413	704	
4	55,7	1748	869		1817	905		1885	939	
5	69,7	2185	1087		2272	1131		2356	1174	
6	83,7	2622	1304							

**ADDITIONAL COLOUR CHARGE** (see the official Tubes Colour Chart)


Additional colour charges are calculated over the Pure white price (Cat. C0), for the other categories the additional charges herein below are applicable: Category C1 and C2 +10% - C3 Category +20% - RAL not included in the colour chart +30% - According to samples : Request feasibility and cost estimate. Colours not available: GRCR.

**REMOTE VALVE ASSEMBLY**

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.



Connection of Remote Valve Assembly (GVR) to water system

Code		Description	Finishes	Price (€)
GVR#		RECESSED valve and lockshield assembly for remote connection	CHROME	
GVRC#		RECESSED valve and lockshield assembly for remote connection	COLOUR	



# AGORÀ DD - (Two Decorations)

Low water content radiator composed of 13.7 cm wide aluminium elements



## AGORÀ DD (Two Decorations - on the top and the bottom)

Height		140			160			180			190			200			210			220		
N° elements	Width (cm)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)	Watts ΔT 50°C	Watts ΔT 30°C	Price (€)
3	41,7	972	484		1091	541		1204	598		1258	625		1311	652		1363	679		1413	704	
4	55,7	1296	646		1454	721		1605	797		1678	834		1748	869		1817	905		1885	939	
5	69,7	1621	808		1818	901		2006	996		2097	1042		2185	1087		2272	1131		2356	1174	
6	83,7	1945	969		2181	1081		2407	1195		2516	1250		2622	1304							

## ADDITIONAL COLOUR CHARGE (see the official Tubes Colour Chart)

Additional colour charges are calculated over the Pure white price (Cat. C0), for the other categories the additional charges herein below are applicable: Category C1 and C2 +10% - C3 Category +20% - RAL not included in the colour chart +30% - According to samples : Request feasibility and cost estimate. Colours not available: GRGR.

## REMOTE VALVE ASSEMBLY

Valve and Lockshield assembly for remote connection (GVR), can be installed up to a maximum distance of 6 metres from the radiator.

Connection of Remote Valve Assembly (GVR) to water system

Code	Description	Finishes	Price (€)
GVR#	RECESSED valve and lockshield assembly for remote connection	CHROME	
GVRC#	RECESSED valve and lockshield assembly for remote connection	COLOUR	

