


ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT **BA15K#120050 0B1 ST 9010**
 BA15K#120050 Article code found in the prices table on the side
 0B1 Connector code found in the table here below
 ST Standard Support code found in the table here below
 9010 Colour code found in the TUBES COLOUR CHART

ACCESSORIES
 Z1TLNR#AN R12 9010 Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
 Z1RAC#R12CRO 12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.



CONNECTORS

The towel warmers are supplied with "0B1" connectors.

If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors of towel warmers and radiators connected to the same system should all have the same configuration otherwise operating problems could occur.

Standard connectors

Will be supplied if not otherwise specified when placing the order

Rear connector

Supplied on request WITH an additional price charge of €

Custom-made connectors


Supplied on request WITH an additional price charge of €

Connectors on request

Supplied on request WITHOUT an additional price charge

Custom-made connectors


Supplied on request WITH an additional price charge of €



Interaxis (Pipe centre)
l=L-3,4 cm




l=L-3,4 cm
rear connector for connection to GVR



Interaxis (Pipe centre)
l=L+13,8 cm




Interaxis (Pipe centre)
l=H-5,5 cm




Interaxis (Pipe centre)
l=H-5,5 cm



single pipe



Specify "i" and "d"
i min.=5 cm
d min.=2 cm



SUPPORTS

The towel warmers are supplied with standard supports (code ST) that include wall fixing shelves, pressure anchors and manual Vent Valve.


On request they can be ordered with bracket supports that are permanently welded on the towel warmers and therefore must be specified when placing the order, their code and cost are as follows:

code MD WALL TYPE bracket support on the Right €
 code MS WALL TYPE bracket support on the Left €
 code SO CEILING TYPE bracket support €

LIMITS


WALL TYPE bracket support Width max 60.0 cm
 CEILING TYPE bracket support Width max 80.0 cm

The Chrome plated version cannot be supplied with bracket supports



ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.
 PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).




Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Chrome plated version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)	Chrome plated G0 (€)
					Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C				
BA15K#070040	73,0	40,0	36,6	1,50	350	186	237	126				
BA15K#070050		50,0	46,6	1,87	455	244	296	159				
BA15K#070060		60,0	56,6	2,25	562	305	355	193				
BA15K#120040	113,0	40,0	36,6	2,25	516	276	348	186				
BA15K#120050		50,0	46,6	2,81	657	354	435	234				
BA15K#120060		60,0	56,6	3,37	800	435	522	284				
BA15K#150040	153,0	40,0	36,6	3,00	712	380	454	242				
BA15K#150050		50,0	46,6	3,74	893	480	567	305				
BA15K#150060		60,0	56,6	4,49	1077	582	681	368				
BA15K#190040	193,0	40,0	36,6	3,74	859	457	570	304				
BA15K#190050		50,0	46,6	4,68	1074	579	712	384				
BA15K#190060		60,0	56,6	5,62	1294	707	855	467				

In the CHROME (plated) version the code BA15K becomes BA15KG
 For correction factors different to ΔT50°C/ΔT30°C see page 284-289

REMOTE VALVE ASSEMBLY

code	Description	Price
GVR#	Valve and Lockshield assembly for recessed remote connection, CHROME finish	€
GVR#	Valve and Lockshield assembly for recessed remote connection, COLOUR finish	€



STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 and 275 of the Price List)

code / Description	Price
Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€
Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €
ZRCF# Kit with pipe collars for towel warmers	CHROME €

KUBIK BA15K i5

Towel warmer composed of horizontal fusion welded elements in 15x15 mm square section steel with 28 mm diam. manifolds

HW




ORDER EXAMPLE

To correctly order this model follow the example specified below:

PRODUCT
 BA15K i5#120050 Article code found in the prices table here below
 0i5 Connection code for 5 cm Interaxis (Pipe centre) (Pipe centre)
 ST Standard Support code found in the table here below
 9010 Colour code found in the TUBES COLOUR CHART

ACCESSORIES
 Z1TLNR#AN R12 9010 Valve and Lockshield - Copper angle 1/2" for copper pipes or multi-layer pipes - White RAL 9010
 Z1RAC#R12CRO 12mm diam. copper pipe unions for Valve+Lockshield – chrome finish (2)

For other types of Valves see the table below or those on pages 271 - 272 - 273 - 274 - 275.








ADDITIONAL CHARGES FOR COLOURS AND FINISHES (see the official Tubes Colour Chart)

RAL colours not included in the colour chart + 30% more than Pure white price (cat. C0), for colours according to samples request feasibility and estimate.
 PLATED finishes: Nickel Satin finish (NIS code) NOT available, 14kt GOLD finish (cat. G5)+50% and 24kt GOLD (cat. G6)+60% more than Chrome (Cat.G0).

Code	H (cm)	L (cm)	Interaxis (Pipe centre) (cm)	Water Content (l)	Coloured version		Chrome plated version		Category C0 RAL 9010 (€)	Category C1/C2 (€)	Category C3 (€)	Chrome plated G0 (€)
					Watts ΔT 50°C	Watts ΔT 30°C	Watts ΔT 50°C	Watts ΔT 30°C				
BA15KI5#070040	77,0	40,0	5	1,50	350	186	237	126				
BA15KI5#070050		50,0	5	1,87	455	244	296	159				
BA15KI5#070060		60,0	5	2,25	562	305	355	193				
BA15KI5#120040	117,0	40,0	5	2,25	516	276	348	186				
BA15KI5#120050		50,0	5	2,81	657	354	435	234				
BA15KI5#120060		60,0	5	3,37	800	435	522	284				
BA15KI5#150040	157,0	40,0	5	3,00	712	380	454	242				
BA15KI5#150050		50,0	5	3,74	893	480	567	305				
BA15KI5#150060		60,0	5	4,49	1077	582	681	368				
BA15KI5#190040	197,0	40,0	5	3,74	859	457	570	304				
BA15KI5#190050		50,0	5	4,68	1074	579	712	384				
BA15KI5#190060		60,0	5	5,62	1294	707	855	467				

For correction factors different to ΔT50°C/ΔT30°C see page 284-289* In the Chrome (Plated) Version the code BA15KI5 becomes BA15KI5G

STANDARD VALVES (for Valves and Lockshields, valves that can be fitted with thermostat, Thermostatic valves, or Single pipe, Twin pipe, Stainless steel and thermostatic heads see pages 271, 272, 273, 274 und 275 of the Price List)

code / Description	Price	code / Description	Price
 Z1TLNR#ANR129010 Paired Valve and Lockshield copper Angle 1/2" WHITE	€	 Z1TL5NR#ANR12SX... Valves with 5 cm Interaxis (Pipe centre) 5 cm - Left	9010 € CHROME €
 Z1RAC#R12CRO 2 copper unions diam. 12 mm	CHROME €	 Z1TL5NR#ANR12DX... Valves with 5 cm Interaxis (Pipe centre) 5 cm - Right	9010 € CHROME €
 ZRCF# Kit with pipe collars for towel warmers	WHITE €		