

stûv

S [16]

Remarkable for its versatility, the s[16] range stands out for its pure lines. The powerful, cleverly-designed models offer a wide view of the fire, and quickly radiate an enveloping warmth. Available in multiple configurations and sizes the s[16] can be integrated into the most varied of environments.



The essential fire



s161-Cube 78
Paradise Drive House by MRTN Architects
Photography by Chris McConville



[SIMPLE]

Simplicity is the keyword in the design of this appliance. In terms of design, installation, operation and maintenance.

[POWERFUL]

The combustion chamber is lined with vermiculite panels for abundant and immediate heat dispersion.

[CLEVER]

An articulated baffle opens when the door is opened to allow the smoke to escape, preventing a large backdraft into the room.

[DURABLE]

The fully-welded combustion chamber prevents distortion of the metal as the fire burns. High-quality materials, precise assembly and a simple shape are just some of the advantages that ensure its longevity.

[PERFORMANT]

Different air injectors ensure a secondary combustion of the gases. The process is economical and environmentally friendly: it generates more heat and eliminates as many fine particles as possible from entering the atmosphere.


[SAFE]

A spring positioned at the bottom of the door prevents it from remaining open and prevents sparks or embers from falling to the floor.


[CLEAN]

For an impeccable view of the fire, a stream of air sweeps across the glass and carries away the dust produced by the combustion.


Four Configurations




s[161]-Cube



s[161]-H



s[161]-D4



s[161]-Up


Performance*

Output range	4 to 12KW
Nominal efficiency	60%
Fine particle emissions	0.7g/kg

*Australian Standards AS/NZS 4012:2025, AS/NZS 4013:2025, and AS/NZS 2918:2018. Australian Solid Fuel Testing.



s[16]-Cube



When you choose Stûv, you have a front row seat to the spectacle of fire.

Sober and elegant, the s[16]-Cube can be installed on the dedicated Stûv base or on a custom made plinth. Its clean minimalist lines mean it can be integrated into any interior, whether classic, rustic or contemporary. It is also now available in Stûvgrey or black.

s[16]-Cube

58



78



Specifications


Viewable glass size (mm)	445 × 421
Appliance weight	105 kg
Maximum log length	40 cm
Colour	Stûv Grey or Black

Viewable glass size (mm)	645 × 421
Appliance weight	121 kg
Maximum log length	60 cm
Colour	Stûv Grey or Black

Dimensions

A - Width	580 mm
B - Depth	456 mm
C - Height	625 mm
D - Flue axis - side	290 mm
E - Flue axis - rear	130 mm
F - Smoke outlet diameter	180 mm
External air connection diameter	63 mm


A - Width	780 mm
B - Depth	456 mm
C - Height	625 mm
D - Flue axis - side	390 mm
E - Flue axis - rear	130 mm
F - Smoke outlet diameter	180 mm
External air connection diameter	63 mm






Modular bases

The optional modular bases are designed to accommodate the s161-Cube, organise your fireside accessories and store wood. Elegant, simple and practical, they give anchor your fireplace and provide additional storage space. The mobile log cart can be rolled close to your wood supply for extra convenience.



Long
drawer base



Short
drawer base



Log cart
with draw

Width	1200 mm	600 mm	460 mm
Height	210 mm	210 mm	1365 mm
Depth	590 mm	590 mm	590 mm




COLOURS

Dark Grey
 Stûv Grey
 Concrete
 White
 Custom



s[16]-H



Choosing Stuv means combining your essential needs with respect for the environment.

Comprising a s[16]-Cube set on a sleek open base element, the s[16]-H fireplace provides practical, aesthetic storage for logs underneath the appliance.

Bringing verticality to the design, this model offers the same efficiency and precision of assembly as the s[16]-Cube.

s[16]-H

58



78



Specifications


Viewable glass size (mm)	445 × 421
Appliance weight	136 kg
Maximum log length	40 cm
Colour	Stûv Grey or Black

Viewable glass size (mm)	645 × 421
Appliance weight	158 kg
Maximum log length	60 cm
Colour	Stûv Grey or Black

Dimensions

A - Width	580 mm
B - Depth	456 mm
C - Height	1010 mm
D - Log storage height	400 mm
E - Flue axis - side	290 mm
F - Flue axis - rear	130 mm
G - Smoke outlet diameter	180 mm
External air connection diameter	63 mm

A - Width	860 mm
B - Depth	456 mm
C - Height	1010 mm
D - Log storage height	400 mm
E - Flue axis - side	330 mm
F - Flue axis - rear	130 mm
G - Smoke outlet diameter	180 mm
External air connection diameter	63 mm






s[16]-D4

58

78



Choosing Stûv means keeping the flame of conviviality alive.

The horizontal combination of firebox and wood store creates a serene atmosphere and turns your fireplace into a piece of furniture.

The s[16]-D4 can be placed directly on the floor, on a masonry plinth or on a custom designed base to suit your interior decor.

s[16]-D4




Specifications

Viewable glass size (mm)	445 × 421	645 × 421
Appliance weight	216 kg	272 kg
Maximum log length	40 cm	60 cm
Colour	Stûv Grey	Stûv Grey


Dimensions

A - Width	1250 mm	1650 mm
B - Depth	530 mm	530 mm
C - Height	600 mm	600 mm
D - Fireplace width	625 mm	825 mm
E - Niche width	625 mm	825 mm
F - Flue axis - side	311 mm	411 mm
G - Flue axis - rear	147 mm	147 mm
H - Smoke outlet diameter	180 mm	180 mm
External air connection diameter	63 mm	63 mm





s[16]-Up



When you choose Stûv, you benefit from 40 years of expertise and technological innovation.

Elegantly suspended, the s[16]-Up magnifies the volume of the room, offering an unobstructed view of the fire.

Thanks to its dual combustion system, wood consumption is as economical as it is environmentally friendly.

s[16]-Up

58



78



Specifications


Viewable glass size (mm)	445 × 421
Appliance weight	113 kg
Maximum log length	40 cm
Colour	Stûv Grey

Viewable glass size (mm)	645 × 421
Appliance weight	130 kg
Maximum log length	60 cm
Colour	Stûv Grey

Dimensions

A - Width	580 mm
B - Depth	530 mm
C - Height	678 mm
D - Flue axis - side	290 mm
E - Flue axis - rear	130 mm
F - Smoke outlet diameter	180 mm
G - Rear clearance	50 mm
H - Lower clearance	330 mm
External air connection diameter	63 mm

A - Width	780mm
B - Depth	530 mm
C - Height	678 mm
D - Flue axis - side	390 mm
E - Flue axis - rear	130 mm
F - Smoke outlet diameter	180 mm
G - Rear clearance	50 mm
H - Lower clearance	330 mm
External air connection diameter	63 mm



DISCOVER THE RANGE

Wood



s[6]



s[21]



s[μM]



s[22]



s[16]



s[6]H



s[30]C



s[30]



s[P20S]



s[P20]



s[P10]



s[P10]