

**stuv**

**[30C]  
S**



The  
essential  
fire





#### [ SIMPLE ]

Simplicity is the watchword in the design of this appliance, in terms of design, installation, operation and maintenance.

#### [ UNIQUE ]

The patented three door system is an innovative breakthrough for wood-burning fireplaces.

#### [ PERFORMING ]

The stove offers high-efficiency combustion. A compact version of the s[30] family, the cast-iron chamber maximises the quality of combustion.

#### [ SMART ]

The s[30C]-H model can be fitted with a heat bank that stores energy and releases it slowly, over several hours, even after the fire has gone out.

#### [ CLEAN ]


For an impeccable view of the fire, a stream of air keeps the glass clean. A large ash drawer reduces cleaning frequency.

#### [ DURABLE ]


High-quality materials, precise assembly and a simple shape are ensure durability.

## Three configurations


---



s[30C]



[30C]one



s[30C]H

#### Performance

---

Output range	3 to 10KW
Nominal efficiency	61%
Fine particle emissions	1.3g/kg

\*Australian Standards AS/NZS 4012:2025, AS/NZS 4013:2025 and AS/NZS 2918:2018. Australian Solid Fuel Testing.



## Three combustion modes, three ways to enjoy your fire.

The sI30C is the only wood-burning stove in the world equipped with three doors, offering three distinct modes of use. This innovative appliance provides three unique ways to experience the warmth and ambiance of a wood fire.

Revolutionising the fireplace industry, its ingenious design is remarkably easy to use - simply turn the rotating drum with the removable key to switch seamlessly from one door to another.



Night mode



Open fire



Slow Combustion

## s[30C] & s[30C]-one

---



**Choosing Stûv means ensuring a very high level of satisfaction.**

The Stûv s[30C] is designed for high-efficiency combustion and versatile operation. It can be installed with a 360° rotating base, allowing precise orientation of the stove within the room. The three-door system provides multiple operating modes, combining performance, ease of use, and an optimized view of the fire.

The s[30C]-one is the single-door version of the range, operating exclusively in slow combustion mode. It delivers the same performance levels and maintains the same design standards as the three-door model. It is also compatible with a 360° rotating installation, offering the same flexibility in positioning.

s[30C]



s[30C]-one



### Specifications

Appliance weight	114 kg
Maximum log length	40 cm
Colour	Black

### Dimensions

A - Width	465 mm
B - Depth	447 mm
C - Height	1040 mm
D - Flue axis - side	232 mm
E - Flue axis - rear	232 mm
F - Smoke outlet diameter	150 mm
External air connection diameter	63 mm

114 kg

40 cm

Stûv Grey

465 mm

447 mm


1040 mm

232 mm

232 mm

150 mm

63 mm





## s[30C]-H

---



**Choosing Stûv means opting for quality in your fireplace.**

The high-performance s[30C]-H offers a range of options, including a heat accumulation system that enhances the fireplace's radiant capacity and retains warmth for extended periods, even after the fire has gone out.

The s[30C]-H can also be installed on a swivel base, allowing for 360° rotation so you can direct the stove exactly where you want it.

In addition, the fireplace features Stûv's patented three-door system, combining innovation with exceptional versatility.

## Longer-lasting heat

The optional heat retention module of the sl30C1-H keeps your room warmer for longer by storing heat and gradually releasing it over several hours, extending the feeling of warmth and comfort well after the fire has gone out.



Ignition

Most of the heat warms the room, while part of it is stored in the accumulator.


Accumulation

The night mode door reduces radiant heat through the glass and focuses energy into the accumulator.

Heat release

Once the fire goes out, the stored heat is gradually released.

## Thermostone accumulator



s[30Cl-H




#### Specifications

Appliance weight	124 kg / 275 kg
Maximum log length	40 cm
Colour	Stûv Grey

#### Dimensions


A - Width	465 mm
B - Depth	447 mm
C - Height	1800 mm
D - Flue axis - side	232 mm
E - Flue axis - rear	232 mm
F - Smoke outlet diameter	150 mm
External air connection diameter	150 mm






## Accessories


---



Mobilobox



Log rack



BBQ Kit

DISCOVER THE RANGE

# Wood

---



s[6]



s[21]



s[μM]



s[22]



s[16]



s[6]H



s[30]C



s[30]



s[P20S]



s[P20]



s[P10]



s[P10]