

## DOMOFOCUS Bioethanol by IGNISIAL

The Domofocus is the culmination of a double design quest: for a generous and welcoming organic shape, yet a more compact volume than its larger forebear, the Gyrofocus with its 1.25m diameter hearth.

With a hearth diameter of 1.10m and an opening that offers a wider smile, the Domofocus was launched in 2015 and became de facto the jolliest model in the Focus range.



Smokeless, with no need for an external flue outlet on the roof, this is the true advantage of Focus's new bioethanol range: a fireplace that you can install anywhere you want!

A true revolution, the bioethanol Domofocus, like the Gyrofocus, can feature in spaces where it was previously impossible to install a fireplace: in an apartment on any floor, on a concrete or IPN beam, under a mezzanine, etc.

There are no longer the usual constraints restricting the position of a fireplace in the room: these models are not bound by the conventional requirements for flues.

Another major advantage is that smokeless combustion allows this fireplace to be installed in geographical zones where wood combustion is now prohibited.

A Focus fireplace is now possible virtually anywhere for devotees of iconic design.

This innovative fireplace, developed in partnership with the French specialist in high-end bioethanol burners Ignisial Paris, is designed to be autonomous, operating with an electric battery. The fully electronic, safe burner is operated by remote control.

This document is the property of Atelier Dominique Imbert SAS. It is strictly reserved for the use of our partner-resellers to whom it is addressed. It contains privileged and confidential information. Any disclosure of this document to third parties is strictly prohibited without our prior written authorization, under penalty of damages and legal action for infringement.

- Characteristic


SPECIFICATIONS		
Use	Only indoor	
Recommended combustible	Bioethanol Aluflam ( <a href="https://ignisial-paris.com/bio-ethanol-aluflam/">https://ignisial-paris.com/bio-ethanol-aluflam/</a> ) or Denatured Bioethanol with a concentration between 96% and 96.6%, free of colorants	
Tank capacity	9 liters	
Power	2 batteries 12V	
Battery autonomy	9 ignitions - 7 filling	
Remote control	2 buttons (ON - OFF)	
Decorative element	Ceramic logs	
Fireplace finition	Black/White	
Market	UE	
Guarantee	2 years (without accessories)	
Manufacturing	French	
SAFETY		
Ignition	Electronic	
Filling	Electronic Overflow Protection Pump	
CO2 sensor	Yes (Threshold of 1000 ppm)	
Refuelling and Ignition Not Possiblewhen appliance is hot		
INSTALLATION		
	NOT CONNECTED	CONNECTED
Nominal heat output	7 kW	9 kW
Maximal autonomy	8h	7h
Minimum room volume	125 m³	N/A
Air renewal rate	1 air change per hour	N/A
Minimum ceiling height	2m50	N/A
PACKAGING		
Fireplace (L x l x h)	1380 x 1380 x 950 mm	
Fireplace Mass (Gross Weight)	190 kg	
Burner (L x l x h)	1250 x 1250 x 380 mm	
Burner mass (Gross Weight)	72 kg	

Find all installation information on your dedicated professional space by consulting the following link: <https://pro.focus-creation.com>


This document is the property of Atelier Dominique Imbert SAS. It is strictly reserved for the use of our partner-resellers to whom it is addressed. It contains privileged and confidential information. Any disclosure of this document to third parties is strictly prohibited without our prior written authorization, under penalty of damages and legal action for infringement.

- Installation configurations not connected to a chimney flue


- Ceiling height  $\leq$  3000 mm :





- Ceiling height  $>$  3000 mm :



- Installation configurations connected to a chimney flue

 To ensure proper operation of the appliance and to benefit from the guarantee, it is **STRICTLY** forbidden to use position **0** as it could damage the burner. We recommend using only positions **1** and **2**. Position **3** may cause excessive draw, potentially disrupting the flame; therefore, we advise not using it.

## Damper position :



- Retrofit: Convert an already installed open wood Domofocus into a Bioethanol Domofocus



Before installing the burner in the fireplace, it is **IMPERATIVE** to:

- Sweep the chimney.
- Remove the fireplace grate.
- Remove the ashtray hatch.
- Replace the rotation device bearings with stainless steel bearings.



To ensure proper operation of the appliance and to benefit from the guarantee, it is **STRICTLY** forbidden to use position **0** as it could damage the burner.

We recommend using only positions **1** and **2**.

Position **3** may cause excessive draw, potentially disrupting the flame; therefore, we advise not using it.

Damper position :

